

Art Unit: 3700

CLMPTO

12/28/04

AR

1. (Amended) A threaded introducer system for accessing a bodily passageway, said introducer system comprising:

a flexible tube having a distal end and a proximal end, a longitudinal axis extending between said distal end and said proximal end, and a lumen extending from said distal end to said proximal end, said lumen being sized to receive an object to be transported through the bodily passageway;

apparatus for connecting the object received within said lumen to said tube, said apparatus comprising a rotary coupling attached to said object and said tube such that said object attached to said rotary coupling may rotate freely about said longitudinal axis of said tube while being longitudinally fixed to said tube; and

an external thread disposed over said distal end of said tube, said external thread having a sufficient structural integrity, and a sufficient surface profile, such that when said tube is disposed in a bodily passageway, rotation of said tube

BEST AVAILABLE COPY

Art Unit: 3700

about said longitudinal axis will result in longitudinal motion of said tube along said bodily passageway.

2. (Original) A threaded introducer system according to claim 1 wherein said object comprises visualization apparatus for visualizing structures disposed adjacent to said distal end of said tube.

3. (Amended) A visualization system for traversing a bodily passageway, said system comprising:

a flexible tube having a distal end and a proximal end, a longitudinal axis extending between said distal end and said proximal end, and a lumen extending from said distal end to said proximal end;

visualization apparatus received in said lumen for visualizing structures disposed adjacent to said distal end of said tube, a rotatable coupling attached to said visualization apparatus and being attached to said tube such that the visualization apparatus may rotate freely about the longitudinal axis of said tube while being longitudinally fixed to said tube; and

CLAIMS 4-10 CANCELLED

BEST AVAILABLE COPY

Art Unit: 3700

4x. (Amended) An access device for accessing a bodily conduit, said ~~conduit-fixing~~ access device comprising:
a body having a distal end and a proximal end, a longitudinal axis extending between said distal end and said proximal end, and a lumen extending from said distal end to said proximal end, said lumen being adapted to receive a gastrointestinal endoscope therein, and a rotatable coupling adapted to attach said gastrointestinal endoscope to said body such that said gastrointestinal endoscope may rotate freely about said longitudinal axis of said body while being longitudinally fixed to said body.

BEST AVAILABLE COPY

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☒ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.